



WDS



WDS 850

Stainless Steel Gas Struts (Gas Springs) with Swivel Eye Rose Joints (WDS 850)

MATERIAL


Body - 316 Stainless Steel

Rod - 316 Stainless Steel

Adjusting Valve - Brass

Operating temperature of -25 to +60 degrees celsius

Adjustable Force - Supplied at maximum force to be adjusted in position to suit the specific application.



27 Sizes

WDS NO.	A	B	D	E	L	L1	L2	S	T	Force Range	Weight
850-0615040RR	6	15	6	9	132	40	30	M6x1.0	9	20-400	0.184
850-0615060RR	6	15	6	9	172	60	30	M6x1.0	9	20-400	0.209
850-0615080RR	6	15	6	9	212	80	30	M6x1.0	9	20-400	0.239
850-0615100RR	6	15	6	9	252	100	30	M6x1.0	9	20-400	0.269
850-0615120RR	6	15	6	9	292	120	30	M6x1.0	9	20-400	0.254
850-0615150RR	6	15	6	9	352	150	30	M6x1.0	9	20-400	0.299
850-0615200RR	6	15	6	9	452	200	30	M6x1.0	9	20-400	0.339
850-0819050RR	8	19	6	9	152	50	30	M6x1.0	9	50-700	0.389
850-0819075RR	8	19	6	9	202	75	30	M6x1.0	9	50-700	0.559
850-0819100RR	8	19	6	9	252	100	30	M6x1.0	9	50-700	0.614
850-0819125RR	8	19	6	9	302	125	30	M6x1.0	9	50-700	0.679

WDS NO.	A	B	D	E	L	L1	L2	S	T	Force Range	Weight
850-0819150RR	8	19	6	9	352	150	30	M6x1.0	9	50-700	0.799
850-0819175RR	8	19	6	9	402	175	30	M6x1.0	9	50-700	0.929
850-0819200RR	8	19	6	9	452	200	30	M6x1.0	9	50-700	1.149
850-0819250RR	8	19	6	9	552	250	30	M6x1.0	9	50-700	1.384
850-0819300RR	8	19	6	9	652	300	30	M6x1.0	9	50-700	1.604
850-1022100RR	10	22	8	12	257	100	36	M8x1.25	12	100-1200	1.604
850-1022150RR	10	22	8	12	357	150	36	M8x1.25	12	100-1200	1.604
850-1022200RR	10	22	8	12	457	200	36	M8x1.25	12	100-1200	1.604
850-1022250RR	10	22	8	12	557	250	36	M8x1.25	12	100-1200	1.604
850-1022300RR	10	22	8	12	657	300	36	M8x1.25	12	100-1200	1.604
850-1022400RR	10	22	8	12	857	400	36	M8x1.25	12	100-1200	1.604
850-1428100RR	14	28	10	14	254	100	43	M10x1.5	14	200-2500	1.604
850-1428200RR	14	28	10	14	454	200	43	M10x1.5	14	200-2500	1.604
850-1428300RR	14	28	10	14	654	300	43	M10x1.5	14	200-2500	1.604
850-1428400RR	14	28	10	14	854	400	43	M10x1.5	14	200-2500	1.604
850-1428500RR	14	28	10	14	1054	500	43	M10x1.5	14	200-2500	1.604

Registered in England No 6819551 | VAT Reg No: GB 945 9861 64